



## LUZHONG 25-30HP 4WD TRACTOR MAIN SPECIFICATION

Model			LZ254	LZ264	LZ304
Туре			4WD Wheeled Type		
Dimensions of Tractor(mm)	Length (to front ballast)		3030		
	Width		1470		
	Height (to the exhaust vent)		1900		
	Tread	Front Wheel	1215 Fixed or 1150~1215 Adjusted		
		Rear Wheel	1300 Fixed or 1300~1350 Adjusted		
	Axle Base		1710		
	Min.Ground Clearance			347.5	
Structure weight (kg)				1130	
Ballast weight	Front ballast		56		
(kg)	Rear ballast		112		
Rated traction force (N)			5500	5700	6660
Engine	Model		385	385	390/485
	Туре		Vertical,3-Cylinder,Water Cooled and 4-stroke		
	Rated Power(kw)		18.3	19.1	22
	Rated speed (r/min)		2400		
	Fuel		Diesel		
Tyre	Front Wheel		6.00-14		
	Rear Wheel		9.5-24		
Clutch			Dual-stage clutch		
Steering			power steering		
Transmission Type			8+2 or 8+8 with shuttle gearshift or (8+2)×2 with creeper shift		
Suspension Type			3-point links		
РТО	Type and Rev		Semi-independent Type 540/1000		
	Spline Size		F35 Rectangle Spline with 6 teeth		

Structure and specification are subject to change without notice.



## **LUZHONG 25-30HP 2WD TRACTOR MAIN SPECIFICATION**

Model			LZ250	LZ260	LZ300	
Туре			2WD Wheeled Type			
Dimensions of Tractor(mm)	Length (to front ballast)		2890			
	Width		1470			
	Height (to the exhaust vent)		1900			
	Tread	Front Wheel	1300 Fixed or 1100~1300 Adjusted			
		Rear Wheel	1300 Fixed or 1300~1350 Adjusted			
	Axle Base		1710			
	Min.Ground Clearance		347.5			
Struc	Structure weight (kg)			1040		
Ballast weight (kg)	Front ballast		56			
<u> </u>	Rear ballast		112			
Rated	Rated traction force (N)			4400	4800	
	Model		385	385	390/485	
Engine	Туре		Vertical,3-Cylinder,Water Cooled and 4-stroke			
	Rated Power(kw)		18.3	19.1	22	
	Rated speed (r/min)		2400			
	Fuel		Diesel			
Tyre	Front Wheel		5.00-16			
	Rear Wheel		9.5-24			
Clutch			Dual-stage clutch			
Steering			power steering			
Transmission Type			8+2 or 8+8 with shuttle gearshift or (8+2)×2 with creeper shift			
Suspension Type			3-point links			
РТО	Type and Rev		Semi-independent Type 540/1000			
	Spline Size		F35 Rectangle Spline with 6 teeth			

Structure and specification are subject to change without notice.

## 25-30HP TRACTOR









